# Safety Data Sheet according to Regulation (EC) 'No. 2020/878



# SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1	Product Identifier Product Name:	TR-D618LV-B DURAL 618LV PART B	Revision Date: Supersedes Date:	01/06/2023 New SDS
1.2	UFI Code: Nanoform: Relevant identified uses of the substance or mixture and uses advised against	No Information No Component of multicomponent industrial coatings - Industrial use. Advised a others than recommended		Advised against:
1.3	Details of the supplier of the safety Importer:	<b>data sheet</b> None		

Manufacturer:	StonCor Middle East L.L.C. Plot # B518, Al Quoz Industrial Area 3 P.O. Box: 3034 Dubai, U.A.E.
	P.O. Box: 3034

	Regulatory / Technical Information: +971 4 347 0460 +971 4 347 0242 (fax)
Datasheet Produced by:	Rivero, Melody - ehs@stoncor.com
Emergency telephone number:	CHEMTREC +1 703 5273887 (Outside US) 112 (24/7) Croatia +3851 2348 342 (24/7 in Croatian and English) Iceland 112 (24/7) Malta 112 (24/7)

# **SECTION 2: Hazards Identification**

1.4

# 2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

# HAZARD STATEMENTS

Skin Corrosion, category 1	H314-1
Skin Sensitizer, category 1	H317
Reproductive Toxicity, category 2	H361
Hazardous to the aquatic environment, Chronic, category 3	H412

# 2.2 Label elements

# Symbol(s) of Product



#### Signal Word

Danger

#### Named Chemicals on Label

4-tert-Butylphenol, Tetraethylenepentamine, benzene-1, 3-dimethanamine, 01,5-pentanediamine, 2-methyl-

# HAZARD STATEMENTS

Skin Corrosion, category 1 Skin Sensitizer, category 1 Reproductive Toxicity, category 2 Hazardous to the aquatic environment, Chronic, category 3 <b>PRECAUTION PHRASES</b>	H314-1 H317 H361 H412	Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. Harmful to aquatic life with long lasting effects.
	P260 P264 P273 P280 P284 P301+310 P301+330+331 P302+352 P304+340 P305+351+338 P308+313 P333+313 P363	Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/ face protection. Wear respiratory protection. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

#### 2.3 Other hazards

No Information

# Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

Endocrine disrupting properties - Toxicity

Name According to EEC

CAS-No.

## No Information

# Endocrine disrupting properties - Ecotoxicity

Name According to EEC

CAS-No.

No Information

# **SECTION 3: Composition/Information On Ingredients**

#### 3.1 Substances

Not applicable

# 3.2 Mixtures

## Hazardous ingredients

Name According to EEC EINEC No. CAS-No. REACH Reg No.	<u>%</u>	<u>Classifications</u>	SCL Value: ATE Value: M-Factor:	
4-tert-Butylphenol 202-679-0 98-54-4 No Information	10 - <25	H315-318-335-361-411 Aquatic Chronic 2, Eye Dam. 1, Repr. 2, Skin Irrit. 2, STOT SE 3 RTI	SCL Value: ATE Value: M-Factor:	-
benzene-1, 3-dimethanamine 216-032-5 1477-55-0 No Information	2.5 - <10	H302-314-317-331-412 Acute Tox. 3 Inhalation, Acute Tox. 4 Oral, Aquatic Chronic 3, Skin Corr. 1, Skin Sens. 1	SCL Value: ATE Value: M-Factor:	-

01,5-pentanediamine, 2-methyl- 239-556-6 15520-10-2 No Information	2.5 - <10	H302-314-332 Acute Tox. 4 Inhalation, Acute Tox. 4 Oral, Skin Corr. 1	SCL Value: ATE Value: M-Factor:	-
Tetraethylenepentamine 203-986-2 112-57-2 No Information	1.0 - <2.5	H302-312-314-317 Acute Tox. 4 Dermal, Acute Tox. 4 Oral, Skin Corr. 1, Skin Sens. 1	SCL Value: ATE Value: M-Factor:	-

## Additional Information: The text for CLP Hazard Statements shown above (if any) is given in Section 16.

# SECTION 4: First-aid Measures

#### 4.1 Description of First Aid Measures

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice.

AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

AFTER EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses.

**AFTER INGESTION:** Gently wipe or rinse the inside of the mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

## Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### 4.2 Most important symptoms and effects, both acute and delayed

No Information

# 4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention is required. No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

# SECTION 5: Firefighting Measures

#### 5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

# 5.2 Special hazards arising from the substance or mixture

No Information

#### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. High volume water jet. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### **SECTION 6: Accidental Release Measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

Ensure adequate ventilation. Use personal protective equipment.

#### 6.1.2 For emergency responders

No Information

#### 6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

#### 6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

#### 6.4 Reference to other sections

**FURTHER INSTRUCTIONS:** Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

# **SECTION 7: Handling and Storage**

#### 7.1 Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Do not breathe vapours or spray mist.

Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

# 7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Direct sources of heat. STORAGE CONDITIONS: Store in original container. Keep locked up or in an area accessible only to qualified or authorised persons. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

# 7.3 Specific end use(s)

No specific advice for end use available.

# **SECTION 8: Exposure Controls/Personal Protection**

# 8.1 Control parameters

# Ingredients with Occupational Exposure Limits

# (EU)

Name	CAS-No.		LTEL ppm	STEL ppm	STEL mg/m3	LTEL mg/m3
4-tert-Butylphenol	98-54-4					
benzene-1, 3-dimethanamine	1477-55-0					
01,5-pentanediamine, 2-methyl-	15520-10-2					
Tetraethylenepentamine	112-57-2					
Name	CAS-No.	OEL Note				
4-tert-Butylphenol	98-54-4					
benzene-1, 3-dimethanamine	1477-55-0					
01,5-pentanediamine, 2-methyl-	15520-10-2					
Tetraethylenepentamine	112-57-2					

**FURTHER ADVICE:** Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

## **Chemical Name:**

4-tert-Butylphenol	
EC No.:	CAS-No.:
202-679-0	98-54-4

## **DNELs - Derived no effect level**

		Wo	orkers		Consumers			
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral	Not required					· -		0.026 mg/kg
Inhalation				0.5 mg/m3				0.09 mg/m3
Dermal				0.071 mg/kg				0.026 mg/kg

## PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	
Fresh water sediments	
Marine water	
Marine sediments	
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	
Air	

## 8.2 Exposure controls

#### **Personal Protection**

**RESPIRATORY PROTECTION:** Respirator with filter for organic vapor.

**EYE PROTECTION:** Tightly fitting safety goggles.

HAND PROTECTION: Impervious gloves. Long sleeved clothing. Remove and wash contaminated clothing before re-use. OTHER PROTECTIVE EQUIPMENT: No Information

**ENGINEERING CONTROLS:** Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

# **SECTION 9: Physical and Chemical Properties**

	-	
9.1	Information on basic physical and chemical p Colour:	p <b>roperties</b> Clear
	Physical State	Liquid
	Odor	Amine
	Odor threshold	Not determined
	рН	>8
	Melting point / freezing point (°C)	Not determined
	Boiling point or initial boiling point and boiling range (°C)	180 - 205
	Flash Point, (°C)	83
	Evaporation rate	Not determined
	Flammability (solid, gas)	Not determined
	Llower and upper explosive limit	Not determined
	Vapour Pressure	Not determined
	Relative vapour density	Not determined
	Density and/or relative density	Not determined
	Solubility in / Miscibility with water	Not determined
	Partition coefficient: n-octanol/water	Not determined
	Auto-ignition temperature (°C)	Not determined
	Decomposition temperature (°C)	Not determined
	Kinematic viscosity	500 cps
	Particle characteristics	Not applicable to liquids
9.2	Other information	
	VOC Content g/l:	4
	Specific Gravity (g/cm3)	0.984

# **SECTION 10: Stability and Reactivity**

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### **10.2 Chemical stability** Stable under normal conditions.

# 10.3 Possibility of hazardous reactions

Hazardous polymerisation may occur.

#### **10.4 Conditions to avoid** Direct sources of heat.

**10.5** Incompatible materials Strong oxidizing agents.

#### 10.6 Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as definied in Regulation (EC) No 1272/2008

	• • • • •
Acute Toxicity: Oral LD50: Inhalation LC50: Dermal LD50:	No information available. No information available. No Information
Irritation:	No information available.
Corrosivity:	No information available.
Sensitization:	No information available.
Repeated dose toxicity:	No information available.
Carcinogenicity:	No information available.
Mutagenicity:	No information available.
Toxicity for reproduction:	No information available.
STOT-single exposure:	No information available.
STOT-repeated exposure:	No information available.
Aspiration hazard:	No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Name According to EEC	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
98-54-4	4-tert-Butylphenol	>2000 mg/kg	5600 mg/kg		0.000	0.000
1477-55-0	benzene-1, 3-dimethanamine	1514 mg/kg, oral			0.000	0.000

#### Additional Information:

No Information

# 11.2 Information on other hazards

Endocrine disrupting	properties - Toxicity
----------------------	-----------------------

Name According to EEC

CAS-No.

No Information

SECTIO	N 12: Ecological Information			
12.1 Toxic	city:			
EC	C50 48hr (Daphnia):	No information		
IC	50 72hr (Algae):	No information		
LC	50 96hr (fish):	No information		
12.2 Persi	stence and degradability:	No information		
12.3 Bioad	ccumulative potential:	No information		
12.4 Mobi	Mobility in soil: No information			
	Results of PBT and vPvB The product does not meet the criteria for PBT/VPvB in accordance with Annex XI assessment:			
12.6 Endo	crine disrupting properties			
End	locrine disrupting properties - Ecoto	xicity		
Na	me According to EEC	CAS-No.		
No	Information			
12.7 Othe	r adverse effects:	No information		
CAS-No.	Name According to EEC	<u>EC50 48hr</u>	<u>IC50 72hr</u>	<u>LC50 96hr</u>
98-54-4	4-tert-Butylphenol	3.4 to 4.5 mg/l	2.4 mg/l	4.71 to 5.62 mg/l
1477-55-0	benzene-1, 3-dimethanamine	No information	No information	
15520-10-2	01,5-pentanediamine, 2-methyl-	No information	No information	

# **SECTION 13: Disposal Considerations**

Tetraethylenepentamine

112-57-2

**13.1** WASTE TREATMENT METHODS: If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

No information

No information

European Waste Code:No InformationPackaging Waste Code:150110

# **SECTION 14: Transport Information**

		ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1	UN-number or ID number	UN 2735	UN 2735	UN 2735	UN 2735
14.2	UN proper shipping name	Amines, Liquid, Corrosive, N.O.S	Amines, Liquid, Corrosive, N.O.S	Amines, Liquid, Corrosive, N.O.S	Amines, Liquid, Corrosive, N.O.S
14.3	Transport Hazard Class(es)	8	8	8	8
14.4	Packing Group	Ш	Ш	III	Ш
14.5	Enviromental Hazards	No Information	No Information	No Information	No Information

14.6 Special precautions for user EmS-No.: Unknown Not applicable

14.7 Maritime transport in bulk according to IMO Unknown intruments

# **SECTION 15: Regulatory Information**

15.1 Safety, health and environmental regulations/legislation for the substance or mixture: National Regulations:

Denmark Product Registration Number:	Not available
Danish MAL Code:	Not available
Danish MAL Code - Mixture:	Not available
Sweden Product Registration Number:	Not available
Norway Product Registration Number:	Not available
Germany WGK Class:	Not available

#### Covered by Directive 2012/18/EC (Seveso III): Not applicable

Restrictions to product or to substances according to Annex XVII, Regulation (CE) 1907/2006:

Not applicable

#### Annex XIV, Regulation (CE) 1907/2006 - Authorisation List:

CAS-No. Name According to EEC

Not Applicable

SVHC - Substances of very high concern (Candidate List - Art. 59 REACH):

98-54-4 4-tert-Butylphenol

## 15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## **SECTION 16: Other Information**

#### Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### **Reasons for revision**

No Information

#### List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

Acronym & Abbreviation Key:

CLP

Classification, Labeling & Packaging Regulation

EC	European Commission
EU	European Union
US	United States
CAS	Chemical Abstract Service
EINECS	European Inventory of Existing Chemical Substances
REACH	Registration, Evaluation, Authorization of Chemicals Regulation
GHS	Globally Harmonized System of Classification and Labeling of Chemicals
LTEL	Long term exposure limit
STEL	Short term exposure limit
OEL	Occupational exposure limit
mqq	Parts per million
mg/m3	Milligrams per cubic meter
TLV	Threshold Limit Value
ACGIH	American Conference of Governmental Industrial Hygienists
OSHA	Occupational Safety & Health Administration
PEL	Permissible Exposure Limits
VOC	Volatile organic compounds
g/l	Grams per liter
mg/kg	Milligrams per kilogram
N/A	Not applicable
LD50	Lethal dose at 50%
LC50	Lethal concentration at 50%
EC50	Half maximal effective concentration
IC50	Half maximal inhibitory concentration
PBT	Persistent bioaccumulative toxic chemical
vPvB	Very persistent and very bioaccumulative
EEC	European Economic Community
ADR	International Transport of Dangerous Goods by Road
RID	International Transport of Dangerous Goods by Rail
UN	United Nations
IMDG	International Maritime Dangerous Goods Code
IATA	International Air Transport Association
MARPOL	International Convention for the Prevention of Pollution From Ships, 1973 as
	modified by the Protocol of 1978
IBC	International Bulk Container
RTI	Respiratory Tract Irritation
NE	Narcotic Effects
IMO	International Maritime Organization
Note P:	The classification as a carcinogen or mutagen need not apply; the substance
	contains less than 0,1 % w/w benzene
Note 10:	The classification as a carcinogen by inhalation applies only to mixtures in
	powder form containing 1 % or more of titanium dioxide which is in the form of
	or incorporated in particles with aerodynamic diameter $\leq$ 10 µm.

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.